



1R1G1B P3.91 Modular Led Display Customized Outdoor Video Display Screens

Our Product Introduction

for more products please visit us on sol-colur.com

Basic Information

- Place of Origin: SHENZHEN CHIAN
- Brand Name: SC
- Certification: CCC ISO14001 CE IP65
- Model Number: P3.91
- Minimum Order Quantity: Square Meters / 1 Piece
- Price: Negotiable
- Packaging Details: 5 Wooden box, Flight Case
- Delivery Time: 10 days after received deposit
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 5000 Square Meter/Square Meters per Month



Product Specification

- Warranty: 2 Years
- CABINET: 500mm*500mm
- Weight: 0.58kg
- Color: 1r1g1b
- Module Size: 250mm*250mm
- Pixel Resolution: 64dots(W)*64 Dots(H)
- Highlight: **Modular Led Display Customized,
1R1G1B Modular Led Display,
1R1G1B Outdoor Video Display**



More Images



Product Description

1R1G1B P3.91 Modular Led Display , Customized Outdoor Video Display Screens

Product Description:

- 1, Outdoor high resolution and high brightness, smallest pixel in the world 3.91mm, unequalled image quality in outdoor environment.
- 2, Ingress protection being IP65, weather proof and dust proof.
- 3, High brightness uniformity and color uniformity($\geq 95\%$)
- 4, Super thin and light with die-casting aluminum cabinet design.
- 5, Good anti-UV and anti-oxidation performance.
- 6, Large viewing distance, 140° in horizontal, 140° in vertical.
- 7, Excellent flatness and no splicing gap between modules
- 8, Quick installation and removal with facile connection lock

Parameters:

Unit Module	Module size	250mm*250mm
	Pixel pitch	3.91mm
	Pixels Density	65536/m ²
	Pixel configuration	1R1G1B
	Package mode	SMD1921
	Pixel resolution	64dots(W)*64 dots(H)
	Max Power	38W
	Module weight	0.7kg
	Drive type	Constant drive
	Scan mode	1/16 scan
	Port type	HUB75-A
	Brightness of white balance	≥ 4800 cd/m ²

Screen Size	Customized
Display Function	Video
Picture Tube Chip Color	Full color
Use	Indoor
Pixel configuration	1R1G1B
LED Standard	SMD2121
Density	65536(dot/m ²)
Module size	250mm*250mm
Cabinet size	500mm*500mm
Module quantity	8
Cabinet quantity	1
Cabinet Material	Diecasting Aluminum
Cabinet weight	13KG
Power	5V60A
Brightness	400-1500CD/m ²
Grey scale	15bit
Driving method	Constant current 1/16scan
refresh rate	3840Hz
Display Colors	687 million

Project Show:



SOL COLUR SHENZHEN SOL COLUR DISPLAY CO.,LTD

+86 13751136904

chenhao@sol-colour.com

sol-colur.com

2nd Floor, Building 8, Nangang Third Industrial Zone, TangtouCommunity, Shiyan Street, Bao'an District, Shenzhen