SHENZHEN CHIAN

CCC, ISO14001, CE, IP65

SC

P4.81

Month

Floor Standing Large Outdoor Advertising LED Display 5000CD Brightness For Shopping Malls

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- Square Meters / 1 Piece Negotiable Wooden Box,Flight Case 10 days after received deposit L/C, D/A, D/P, T/T, Western Union, MoneyGram

5000 Square Meter/Square Meters per

Product Specification

- Pixel Pitch:
- Drive Type:
- Module Size:
- Color:
- Warranty:
- Brightness:
- Led Lamp:
- Cabinet Size:
- Brand Name:

- 4.81mm Constant Drive
- e: 250mm*250mm
 - 1R1G1B
 - 2 Years
 - 5000CD
 - Nation Star SMD2727
 - 500mm*500mm
 - SOL COLUR



Our Product Introduction

China Supplier, P4.81 Outdoor LED Large Screen Display , Outdoor Advertising Screen TV Hd Competitive Price

Product Features:

Nation Star SMD package mode- stedy quality, long life Super light weight -weight 7.5kg, it's easy to asseable High Refresh- >1920HZ

MAIN PARAMETERS:


	Item	Parameter
Unit Module	Model Number	P4.81-13S
	Module size	250mm*250mm
	Pixel pitch	4.81mm
	Pixels Density	43264/m2
	Pixel configuration	1R1G1B
	Package mode	SMD2727
	Pixel resolution	52dots(W)*52dots(H)
	Max Power	38.5W
	Module weight	0.58kg
	Drive type	Constant drive
	Scan mode	1/13scan
	Port type	HUB75-A
	Brightness of white balance	≥4850cd/m2



500mm*500mm、500mm*1000mm

Outdoor P4.81 Specification:

Cabinet	Dimension	500mm*500mm/500*1000mm
	Monomer Module Number	4pcs
	Power supply	5V/60A*1pas
	Protection grade	IP65
	Pixel per cabinet	104mm*104mm
	Best viewing distance	2M 14M
	Best viewing angle	160°(W) 120°(H)
	Temperature	storage:-35°C +85°C working:-20°C +50°C
	Relative humidity	10%-95%
	Thickness	100mm
ĺ	Working voltage	AC220V±10%
	Average Power consumption	200W/
Power	Max.Power consumption	≤400W/
	Current	≤20mA(single LED)
	CPU	Pentium4 or above P4
Control systen	Operation system	WIN98/2000/NT/XP/WIN7



+86 13751136904
chenhao@sol-colour.com
sol-colur.com
2nd Floor, Building 8, Nangang Third Industrial Zone, TangtouCommunity, Shiyan Street, Bao'an District, Shenzhen