




## Good Image External Led Display Asynchronous P6 Outdoor Led Display

Our Product Introduction

### Basic Information

- Place of Origin: SHENZHEN CHIAN
- Brand Name: SC
- Certification: CCC ISO14001 CE IP65
- Model Number: P6
- Minimum Order Quantity: Square Meters / 1 Piece
- Price: Negotiable
- Packaging Details: Wooden box, Flight Case
- Delivery Time: 10 days after received deposit
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 5000 Square Meter/Square Meters per Month




### Product Specification

- Pixel Pitch: 6mm
- Cabinet Size: 960mm\*960mm
- Warranty: 2 Years
- Color: Full Color
- Module Size: 256 X 256mm
- Pixel Configuration: SMD 3 In 1
- Highlight: **Good Image External Led Display, Asynchronous P6 Outdoor Led Display, Good Image P6 Outdoor Led Display**



### More Images



for more products please visit us on [sol-colur.com](http://sol-colur.com)

## Product Description

Full Color Smd Outdoor Led Display , Asynchronous P6 Smd Led Panel Display

### Product Description

1. Good image
2. Control system:Novastar or Linsn Optional
3. Full Color LED Display
4. Convenient installation
5. Superior Quality
6. High brightness
- 7.Die-casting aluminum cabinet

### Product Specifications:

Model No.	G-MCD-P6
Pixel Pitch	6mm
Module Size	256x256mm
Module Resolution(pixels)	32x32
Cabinet Size	768mm×768mm
Panel Resolution(pixels)	128x128
Pixel Configuration(RGB)	SMD 3 in 1
Pixel Density(pixels/ )	27777
Brightness(cd/ )	7000
Best Viewing Distance(m)	6-100
Average Power Consumption(W/ )	120
Waterproof Level	IP65
Wavelength	R620-625 G520-525 B470-475
LED SPEC	1818
Viewing Angle	120°(H)/160°(V)
Operating Temperature	-40~80°C
Video Frame Rate(Hz)	≥ 60HZ
Display Refresh Rate(Hz)	≥ 3840HZ
Grey Level(colors)	16.7million
MTBF	≥50,000 hours
Lifespan	≥100,000Hours
Working Voltage	220V±15% OR 110V±15%
Drive Mode	Constant 1/8
Graphics Card	DVI Graphics card
Video Signal	RF, S-Video, RGB, RGBHV, YUV, YC, etc.
Control System	Nova/Mooncell
Software	LED studio 10.0
Installation	Wall mount, hung and stand structure

### Packing:

## Packing



01



02



03



04



05



06

## Product Show:



**SOL COLUR** SHENZHEN SOL COLUR DISPLAY CO.,LTD

+86 13751136904

chenhao@sol-colour.com

sol-colour.com

2nd Floor, Building 8, Nangang Third Industrial Zone, TangtouCommunity, Shiyan Street, Bao'an District, Shenzhen