




High Performance SMD P2 Led Video Wall IP30 Advertising Led Display Screen

Our Product Introduction

Basic Information

- Place of Origin: SHENZHEN CHINA
- Brand Name: SC
- Certification: CCC IP68 CE ISO9001 ROHS
- Model Number: SMDP2
- Minimum Order Quantity: Square Meters / 1 Piece
- Price: Negotiable
- Packaging Details: Wooden box, Flight Case
- Delivery Time: 10 days after received deposit
- Payment Terms: L/C, D/A, D/P, T/T, MoneyGram
- Supply Ability: 5000 Square Meter/Square Meters per Month




Product Specification

- LED Lamp: Nation Star Led Lamp
- Brightness: 1000
- Module Size: 256mm*128mm
- Color: Full Color
- Pixel Pitch: 2mm
- Led Lamp: NationSTAR
- Pixel Configuration: 1r1g1B
- IP: IP45
- Highlight: IP30 Advertising Led Display Screen, SMD P2 Led Video Wall, P2 Led Video Wall IP30



More Images



for more products please visit us on sol-colur.com

Product Description


High Performance SMD P2 Led Wall Display , IP30 Protection Advertising Led Display Screen

Features:

1. High definition
2. only 5kg light weight
3. IP30 protection
4. front maintenance design
5. high cost performance, 30% cheaper.

PARAMETERS:

Indoor P2 led screen		
Physical parameters:		
Pixel pitch	P2	
Physical density	250000 dots/m2	
Led packing	SMD1515	
LED composition	1R1G1B	
Cabinet size	512x512mm	
Caninet weight	11 kg	
Cabinet material	Die-casting aluminum	
Optoelectronic parameters:		
AC operation voltage	100~120V/220~240V	
Scan	1/32S	
Brightness	700cd~1000cd/m2	
Gray level	16 bit	
View distance	2~30m	
View angel	140 degree horizon/vertical	
Refresh rate	≥1920	
Life span	100,000h	
Frame frequency	≥60Hz	
IP rate	IP30	
Cabinet	Dimension	512mm*512mm
	Monomer Module Number	8pcs
	Power supply	5V/40A*1pcs
	Thermal discharge	fan 2pcs
	Pixel per cabinet	256*256
	Best viewing distance	2.5M 10M
	Best viewing angle	160°(W) 120°(H)
	Temperature	storage:-35°C +85°C working:-20°C +50°C
	Relative humidity	10%-95%
	Thickness	65mm



Project Cases:



+86 13751136904



chenhao@sol-colour.com



sol-colur.com

2nd Floor, Building 8, Nangang Third Industrial Zone, TangtouCommunity, Shiyan Street, Bao'an District,
Shenzhen