



Mute Design Indoor Full Color LED Display P5.95 500*500mm / 500*1000mm

Our Product Introduction

Basic Information

- Place of Origin: SHENZHEN, CHINA
- Brand Name: SC
- Certification: CE, 3C, FCC, ROHS, ISO9001
- Model Number: P5.95 In door
- Minimum Order Quantity: 1 Square Meters
- Price: Negotiable
- Packaging Details: Wooden box, Flight Case
- Delivery Time: 10 days after received deposit
- Payment Terms: L/C, D/A, D/P, T/T, Western Union
- Supply Ability: 5000 Square Meter/Square Meters per Month



Product Specification

- Color: Full Color
- Scan Mode: 7
- Warranty: 2 Years
- Certificate: CE, 3C, FCC, ISO9001
- Usage: Indoor
- Place Of Origin: Shenzhen China
- Drive IC: MBI 5124
- LED Chip: Epistar
- Package Mode: SMD Nationstar
- Power Supply: Meanwell
- Module Size: 250*250mm
- Highlight: Indoor Full Color LED Display P5.95 ,
Indoor Full Color LED screen P5.95 ,
Mute Design Full Color LED Display



More Images



Product Description

Indoor Full Color LED Display P5.95 500*500mm / 500*1000mm gold wire kinglight Nationstar Die Casting Screen

Product Description

1. Lightweight. Convenient in transporting and installing & saving labor cost, suitable for flow shows.
2. Nice appearance and simple structures.
3. Jointed correctly, being installed & dismounted by one person without tool.
4. Humanized operating interface with breakdown indicator lights, easy to maintain.
5. High debugging brightness and no damage to gray scale, achieving the debugging technology for nice image.

Product Features:

- 1, SMD guarantee super wide viewing angle, higher flatness and better performance, offers you clear and natural images in all directions. high quality full black leds, together with black mask, achieves clear and crystal picture.
- 2, High refresh rate, high grey scale level and high accurate color consistency guarantee the vivid pictures and perfect videos.
- 3, Alignment hole and location pin design for installation could achieve extreme precision between cabinets, seam splicing is less than 0.05mm.
- 4, Mute design: excellent heat dissipation, the entire screen no fan design, to achieve zero noise, provide quiet working environment.
- 5, Cabinet size is 500*500mm, thickness 75cm, and weight is only 8.2kg/pc, very light and slim, convenient in transporting and installing, thus save labor cost and avoid wasting much time, very suitable for flow shows and rents.
- 5, Die-cast aluminum with CNC is finished, the dimension tolerance of less than 0.01mm, and module shaping one time, the machining accuracy of + 0.01mm, easy to realize seamless splicing.
- 6, User-friendly locking system, aviation plug and three handles on each cabinet makes disassembly and maintenance easy and convenient. Unique anti-burial design to avoid the patchwork.

Parameter

250*250mm LED Video Wall P5.95mm Outdoor SMD RGB Rental Stage LED Display, Basic Technical Parameters:

Pixel:	5.95mm	Pixel Density:	28235dots/sqm
Usage:	Outdoor for Rental	Tube Chip Color:	Full Color
Display Function:	Video, Photo, Live Video	Module size:	250*250mm
Cabinet Size:	500x500/1000mm	Brightness:	6000cd/m ²
IC:	MBI5124IC	LED Model:	SMD3535/SMD2727
Scan Mode:	1/7 or 1/14	Control System	NOVASTAR, LINSN
LED Brand:	Kinglight or Nationstar	Power Supply:	Meanwell
Refresh Rate:	≥3840HZ	Cabinet Material:	Die-Casting Aluminum

Project Cases



SOL COLUR SHENZHEN SOL COLUR DISPLAY CO.,LTD

+86 13751136904

chenhao@sol-colour.com

sol-colour.com

2nd Floor, Building 8, Nangang Third Industrial Zone, TangtouCommunity, Shiyan Street, Bao'an District, Shenzhen