Our Product Introduction



## 32 Scan Mode SMD2121 Conference Room Led Screen For Back Stage **Background**

#### **Basic Information**

. Place of Origin: SHENZHEN CHINA

. Brand Name: SOL COLUR

CCC IP68 CE ISO9001 ROSH · Certification:

SMD P3 Model Number:

 Minimum Order Quantity: Square Meters / 1 Piece

• Price: Negotiable

Wooden box, Flight Case · Packaging Details: • Delivery Time: 10 days after received deposit

Payment Terms: L/C, D/A, D/P, T/T

. Supply Ability: 5000 Square Meter/Square Meters per

Month



## **Product Specification**

. Best Viewing Angle: 3m~10m • Module Weight: 0.28kg . Brightness: 1000 Refresh: 1100HZ · Warranty: 2years • LED Lamp: SMD2121 • Drive IC: MBI Scan Mode: 32 Scan

. Highlight: 32 Scan Conference Room Led Screen, 32 Scan conference room led display,

SMD2121 Conference Room Led Screen



### More Images



#### **Product Description**

Conference Indoor Full Color LED Display 32 Scan Mode For Back Stage Background

#### **Features and Application:**

- 1. New design for advertising, in the past, all the advertisement is standing, while now all the advertisment can be mobile, therefore, it can have better advertisment effect. Instead of having fixed outdoor video displays in several locations, a mobile LED display installed on a truck that you can park in different strategic points of the city, at peak times of each day, in addition, if you are an event management company and need to have a led display move anywhere, a truck-mounted led display would be the perfect answer.
- 2. Portable led display. Owing to the truck, it is very easy to move from one place to another.
- 3. Our LED display can be installed in different areas all over the world.Low temperature as -20°C and high temperature as +60°C,high humidity and high salty air environment such as seaside,out cabunet is moisture-proof and salt-proof.
- 4. High brightness DIP LED is widely used for mobile truck led display with weatherproof design, so can be used outdoor with cute weather. Meanwhile, vivid color performance and high conformity would bring an excellent display effect for the event.
- 5. Widely used in tental market, ideal for advertising in busy street or intersections, conference, shows, concerts, sporting event, grand opening, exhibitions, political rallies, elections etc.

#### **Product Specifiation:**

Product Specifiation:		
Item		PH3
Cabinet	Technology	SMD 3 in 1
	Package Mode	3528
	Pixel Pitch	3mm
	Usage	indoor
	Module Size	192×96mm
	Cabinet Size	576×576mm
	Pixel Density	110990dots/m2
	Color Configuration	1R1G1B
	Cabinet Resolution	192×96dots
Main Specification	Best Viewing Distance	6~60m
	Viewing Angle	horizontal ≥120°
		vertical ≥120°
	Temperature	-20°C~+60°C
	Ave.Consumption	260 W/m2
	Max.Consumption	650 W/m2
	Control Mode	synchronism
	Drive Mode	1/16 Scan
	White Balance	≥2500cd/m2
	Brightness	
	Protection Level	IP45
	Power Supply	220V/50Hz
	MTBF	≥10000hours
	Life Span	100, 000hours
	Malfunction Dot Rate	

#### **Product Case:**



# SOLCOL UR SHENZHEN SOL COLUR DISPLAY CO.,LTD

+86 13751136904

chenhao@sol-colour.com



sol-colur.com

2nd Floor, Building 8, Nangang Third Industrial Zone, TangtouCommunity, Shiyan Street, Bao'an District, Shenzhen