



Ultra Thin SMD P3 Indoor Rental Led Screen 192mm * 192mm For Back Stage Background

Our Product Introduction

for more products please visit us on sol-colur.com


Basic Information

- Place of Origin: SHENZHEN CHINA
- Brand Name: SC
- Certification: CCC IP68 CE ISO9001 ROHS
- Model Number: SMDP3
- Minimum Order Quantity: Square Meters / 1 Piece
- Price: Negotiable
- Packaging Details: Wooden box, Flight Case
- Delivery Time: 10 days after received deposit
- Payment Terms: L/C, D/A, D/P, T/T
- Supply Ability: 5000 Square Meter/Square Meters per Month




Product Specification

- Usage: Indoor
- Pixel Pitch: 3mm
- Module Size: 192mm*192mm
- Color: 1R1G1B
- Drive Type: Constant Drive



More Images



Product Description

192mm*192mm, SMD P3 Indoor Full Color Led Display,High Refresh and High Resolution SMD P3, RGB LED Panel

PARAMETERS:

Unit Module	ItemS	Parameter
	Model Number	HX-P3-32S
	Module size	192mm*192mm
	Pixel pitch	3mm
	Pixels Density	111111/m2
	Pixel configuration	1R1G1B
	Package mode	Nation Star SMD2121
	Pixel resolution	64dots(W)*64dots (H)
	Max Power	15W
	Weight	0.28kg
	Drive type	Constant drive
	Scan mode	1/32scan
	Port type	HUB75-A
	Brightness of white balance	≥1000cd/m2
Cabinet	Dimension	576mm*576mm
	Monomer Module Number	9pcs
	Power supply	5V/60A*1pcs
	Thermal discharge	fan 2pcs
	Pixel per cabinet	192*192
	Best viewing distance	3M 10M
	Best viewing angle	110°(W)110°(H)
	Temperature	storage:-35°C +85°C working:-20°C +50°C
	Relative humidity	10%-95%
	Thickness	55mm
Power	Working voltage	AC110 220V±10%
	Average Power consumption	150W/
	Max.Power consumption	<650W/
	Current	<20mA(single LED)
Control system	CPU	Pentium4 or above P4
	Operation system	WIN98/2000/NT/XP/WIN7
	Control method	Synchronization
Main technical parameter	Driving device	Constant drive IC
	Refresh frequency	>1080HZ
	Grey scale/colors	4096gray level/16.7M colors
	MTBF	>9000hours
	Power switch	Automatic switch
	Display Mode	≥800*600/1024*768

Company Information:

SHENZHEN SOL COLUR DISPLAY CO.,LTD. was established in December 2012,Is a leading LED display applications products and solutions provider,Specialized in LED research and development, manufacturing. Sales and servic,Dedicated to providing high-quality, high-performance LED applications and solutions for professional channel customers and end-users at home and abroad.

Our products have been widely used both at home and abroad. Since its foundation, we have become one of the best LED product and solution providers in the country through our unremitting efforts and have won the industry's highest recognition The development of the company so far, the sales outlets throughout the country, the export products exported to more than 10 countries and regions, 3C, FCC, CE,IFA, IP65, IP68, IS9001, ROSH.AAA and other qualifications, product testing reports, patent certificate


We produce indoor,outdoor and rental led module and led diplay

P1.25/P1.388/P1.5625/P1.667/P1.875/P1.923/P2/P2.5/P3/P4/P5


P7.62/P6/P8/P10/P12/P16/P3.91/P4.81/P5.95/P2.976

All can be custo

Application:



Project Cases:



SOL COLUR SHENZHEN SOL COLUR DISPLAY CO.,LTD

+86 13751136904

chenhao@sol-colour.com

sol-colour.com

2nd Floor, Building 8, Nangang Third Industrial Zone, TangtouCommunity, Shiyao Street, Bao'an District, Shenzhen