



Pixel Pitch 4.81mm Big Indoor Led Screen Hire , Ultra Thin Led Video Wall Hire

Our Product Introduction

Basic Information

- Place of Origin: SHENZHEN
- Brand Name: SC
- Certification: .3C, ISO9001,,ROSH, FCC.3C
- Model Number: P4.81 Outdoor
- Minimum Order Quantity: 1 Square Meters
- Price: Negotiable
- Packaging Details: Wooden box,Flight Case
- Delivery Time: 10 days after received deposit
- Payment Terms: L/C, D/A, D/P, T/T, Western Union
- Supply Ability: 5000 Square Meter/Square Meters per Month



Product Specification

- Module Size: 250*250mm
- Scan Mode: 13S
- Warranty: 2 Years
- Model Number: P4.81
- Uasge: Outdoor
- Place Of Origin: Shenzhen China
- Module Resolution(dots): 52*52
- Brightness(cd/m²): ≥7000
- Highlight: **Big Indoor Led Screen Hire ,
Ultra Thin Led Video Wall Hire ,
4.81mm Indoor Led Screen Hire**



Product Description

LED Display Accessories 500 X 1000mm Rental Led Display Outdoor IP67 For P3.91 P4.81

Product Quick Details

A, Pixel Pitch: 4.81mm

B, LED Type: SMD2727

C, Protection Level: IP65

Cabinet Features :

- 1 , ultra-light weight of a box than the die-casting aluminum box 40%, substantial cost savings
- 2 , ultra-thin due to a high strength of magnesium alloy, in the design can be thinner than aluminum, thin about 30%
- 3 , heat a good fast cooling performance, effective protection module circuit
- 4 , anti-interference with a special anti-electromagnetic interference
- 5 , the strength of a box tensile test to reach 300kg, stronger than aluminum
- 6 , the installation of a fast shortcut fast, installed only 20 seconds
- 7 , high precision box after a CNC machining, higher precision, can be seamless stitching
- 8 , versatility can be installed one can handle any hole processing, indoor and outdoor universal
- 9 , easy to maintain a whole die-casting box can be removed, the real implementation of the former maintenance
- 10 , cost-effective one has a complete production supply chain for large-scale production

Application :

advertising LED displays, stage led screens, mobile led display for mobile media, led video walls outdoor events decor, led video wall controller for Music concerts, touring& festival, cooperate parties and so on.

P4.81 small pitch led display 500*500mm Indoor die cast aluminum quickly install parameter

| Item | Parameters |
|-------------------|------------------------------------------------------|
| Model | DA4.81S |
| Pixel Pitch | 4.81mm |
| Pixel Density | 43,264dots/m2 |
| LED Configuration | 1R,1G,1B |
| Colors | >16.7 M |
| Brightness | 1,800CD/M2 |
| Gray Scale | >14bit |
| Refresh Rate | >960hz |
| Viewing Angle | 140°(Horizontal) 140°(Vertical) |
| Dimension | 500mm x1000mm x 75mm |
| LED configuration | SMD3528 |
| Weight | 13.5kg |
| Protection Level | IP43 |
| Input Voltage | AC 96V~264V+/-10% |
| Source | DVI, RGB, CVBS, HDMI, YUV, SDI etc |
| Temperature | -20°C ~ +40°C (operating) -20°C ~ +60°C (storage) |
| Humidity | 10% ~ 90% (operating) 10% ~ 85% (storage) |
| Life Span | 50,000 hrs |

| | |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------|
| Trade terms : | 1. Payment:T/T,30% deposits before production,70% balance to be paid before delivery . |
| | 2. Shipping freight are quoted under your requests . |
| | 3. Shipping port: Shenzhen,mainland China . |
| | 4. MOQ:1SQM . |
| | 5.Package : Wooden packing and flight packing . |
| About Technology : | 1. We provide the technology training for free, which contains the operation training and maintenance training at our factory |
| | 2. We will send our engineers to your country by negotiation. |
| | 3. We provide CAD drawing on how to fix up the display for free and some other expert suggestion. |

4. We will send our engineers to your place if we are expected after our negotiation.

Product Show



SOL COLUR SHENZHEN SOL COLUR DISPLAY CO.,LTD

+86 13751136904

chenhao@sol-colour.com

sol-colour.com

2nd Floor, Building 8, Nangang Third Industrial Zone, TangtouCommunity, Shiyan Street, Bao'an District, Shenzhen