



1R1G1B 25Watt Outdoor Fixed LED Display Low Power Consumption Long Lifespan

Our Product Introduction

Basic Information

- Place of Origin: SHENZHEN, CHINA
- Brand Name: SOL COLUR
- Certification: CE, FCC, RoHS
- Model Number: P5
- Minimum Order Quantity: 1 Square Meters
- Price: Negotiable
- Packaging Details: CARTON, WOODEN CASE, FLIGHT CASE
- Delivery Time: 15-20 days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union
- Supply Ability: 5000 Square Meter/Square Meters per Month




Product Specification

- Pixel Pitch: 5mm
- Module Size: 160mm*160mm
- Pixel Configuration: 1R1G1B
- Max Power: 25W
- Weight: 0.37kg
- Highlight: 25Watt Outdoor Fixed LED Display, Outdoor Fixed LED Display Long Lifespan, 25Watt Outdoor Fixed LED screen



More Images



Product Description

1R1G1B 25W Outdoor Advertising LED Display Constant Drive Low Power Consumption

Product description

1. High performance, cost effective.
2. Low power consumption, energy saving and friendly use.
3. Short leading time for fast delivery.
4. Certification: CE, FCC, ROHS
5. Long lifespan up to 100,000 hours.

P5 outdoor full-color technology parameters

Item	Parameter
Model Number	SF-SS5-8-A
Module size	160mm*160mm
Pixel pitch	5mm
Pixels Density	40000dots/m2
Pixel configuration	1R1G1B
Package mode	SMD2727
Pixel resolution	32dots(W)*32dots(H)
Max Power	25W
Module thickness	22mm
Weight	0.37kg
Drive type	Constant drive
Scan mode	1/8
Port type	HUB75-A
Brightness of white balance	≥5500 6000cd/m2
Dimension	960mm*960mm*100 mm
Monomer Module Number	36pcs
Power supply	5V/40A*6pcs
Thermal discharge	fan 2pcs
Pixel per cabinet	96mm*96mm
Best viewing distance	5M 15M
Best viewing angle	120°(W) 110°(H)
Temperature	storage:-35°C +85°C working:-20°C +50°C
Relative humidity	10%-95%
Thickness	122mm
Working voltage	AC220V±10%
Average Power consumption	350W/
Max Power consumption	≤1200W/
Current	≤20mA(single LED)
CPU	Pentium4 or above P4
Operation system	WIN98/2000/NT/XP/WIN7
Control method	Synchronization
Driving device	Constant drive IC
Refresh frequency	≥1920HZ
Grey scale/colors	4096gray level/16.7M colors
MTBF	≥10000hours
Power switch	Automatic switch
Display Mode	≥800*600/1024*768

Function of LED Display:

- 1, Video in any format can be played
- 2, Picture can be played and logo and text can be added on the picture
- 3, Animations, cartoons, text
- 4, Date, Time and clock
- 5, Display internal data from database or excel
- 6, LED Display can be splicing to several parts and play its information separately.

Project Show:



SOL COLUR SHENZHEN SOL COLUR DISPLAY CO.,LTD

+86 13751136904

chenhao@sol-colour.com

sol-colur.com

2nd Floor, Building 8, Nangang Third Industrial Zone, TangtouCommunity, Shiyan Street, Bao'an District,
Shenzhen