



# Mobile Seamless Outdoor Led Display Board P4.81 Die Cast Aluminum Anti -Corrosion

## **Basic Information**

. Place of Origin: SHENZHEN

. Brand Name: SC

3C, ISO9001,,ROSH, FCC.3C · Certification:

Model Number: P4.81 Outdoor • Minimum Order Quantity: 1 Square Meters • Price: Negotiable

5000Square Meters per Month · Packaging Details: • Delivery Time: 10 days after received deposit Payment Terms: L/C, D/A, D/P, T/T, Western Union . Supply Ability: 10 days after received deposit



## **Product Specification**

Module Size: 250\*250mm · Pixels Density: 43264dots/m2 SMD2727 Package Mode: Brightness Of White ≥4500cd/m2

Balance: • Highlight:

P4.81 Outdoor Led Display Board,

Mobile Seamless Outdoor Led Display Board, Anti - Corrosion Outdoor Led Display Board

Our Product Introduction

### **Product Description**

#### Seamless Full Color PH 4.81 Outdoor Rental LED Video Wall Panels SMD 2727

#### **Product Quick Details:**

1, Pixel pitch: 4.81mm

2, Protection level: IP65

3, Silent design without fans.

#### **Product Features:**

1, High protection grade of front IP65/rear IP54, enables it to be used in any outdoor harsh environment.

- 2, User-friendly locking system, aviation plug and three handles on each cabinet makes disassembly and maintenance easy and convenient. Unique anti-burial design to avoid the patchwork.
- 3, Silent design, superior heat dissipation, fanless design-fulfilling quiet working environment without noise.
- 4, Cabinet size is 500\*1000mm, thickness 75cm, and weight is only 14.2kg/pc, very light and slim, makes much easier for transporting, installation and movement, could save your cost and time.
- 5, Alignment hole and location pin design for installation could achieve extreme precision between cabinets, besides module shaping one time, get seamless splicing and assemble easier.
- 6, IC MBI5124 is used, high refresh rate, high grey scale level and high accurate color consistency guarantee the vivid pictures and perfect videos.
- 7, Pixel density is 43264 dots per square meter, high resolution brings HD visual effect.
- 8, High brightness ensures the spectators far from the screen can still enjoy what is shown, even under direct sunlight.

#### **Parameters**

Item	Parameters
Model	DA4.81S
Pixel Pitch	4.81mm
Pixel Density	43,264dots/m2
LED Configuration	1R,1G,1B
Colors	>16.7 M
Brightness	1,800CD/M2
Gray Scale	>14bit
Refresh Rate	>960hz
	140°(Horizontal)
Viewing Angle	140°(Vertical)
Dimension	500mm x1000mm x 75mm
LED configuration	SMD3528
Weight	13.5kg
Protection Level	IP43
Input Voltage	AC 96V~264V+/-10%
Source	DVI, RGB, CVBS, HDMI, YUV, SDI etc
	-20°C ~ +40°C (operating)
Temperature	-20°C ~ +60°C (storage)
	10% ~ 90% (operating)
Humidity	10% ~ 85% (storage)
Life Span	50,000 hrs


Trade terms	1. Payment:T/T,30% deposits before production,70% balance to
:	be paid before delivery .
	Shipping freight are quoted under your requests .
	3. Shipping port: Shenzhen,mainland China .
	4. MOQ:1SQM .
	5.Package: Wooden packing and flight packing.
About	We provide the technology training for free, which contains
Technology	the operation training and maintenance training at our factory
:	We will send our engineers to your country by negotiation.
	3. We provide CAD drawing on how to fix up the display for free
	and some other expert suggestion.
	We will send our engineers to your place if we are expected
	after our negotiation.

#### Application:

advertising LED displays, stage led screens, mobile led display for mobile media, led video walls outdoor events deocr, led video wall controller for Music concerts, touring& festival, cooperate parties and so on. P4.81 small pitch led display 500\*500mm Indoor die cast aluminum quickly install parameter

## **Product Show**





## Instation:



Our factory:



#### Company information

SHENZHEN SOL COLUR DISPLAY CO.,LTD. was established in December 2012,Is a leading LED display applications products and solutions provider, Specialized in LED research and development, manufacturing. Sales and servic, Dedicated to providing high-quality, high-performance LED applications and solutions for professional channel customers and end-users at home and abroad.

Our products have been widely used both at home and abroad. Since its foundation, we have become one of the best LED product and solution providers in the country through our unremitting efforts and have won the industry's highest recognition

The development of the company so far, the sales outlets throughout the country, the export products exported to more than 10 countries and regions, 3C, FCC, CE.IFA, IP65, IP68, IS9001, ROSH.AAA and other qualifications, product testing reports, patent certificate

From : Elena Duan

What's app no : +8615019269218

## SOL COLOR SHENZHEN SOL COLUR DISPLAY CO.,LTD



+86 13751136904



chenhao@sol-colour.com



sol-colur.com

2nd Floor, Building 8, Nangang Third Industrial Zone, TangtouCommunity, Shiyan Street, Bao'an District, Shenzhen