



## Clear Vivid Image Cylindrical LED Display High Refresh Rate Protection Level IP65

Our Product Introduction

### Basic Information

- Place of Origin: SHENZHEN CHINA
- Brand Name: SC
- Certification: CCC IP68 CE ISO9001 ROHS
- Model Number: Outdoor SMDP10
- Minimum Order Quantity: Square Meters / 1 Piece
- Price: Negotiable
- Packaging Details: Wooden box, Flight Case
- Delivery Time: 10 days after received deposit
- Payment Terms: L/C, D/A, D/P, T/T, Western Union
- Supply Ability: 5000 Square Meters per Month



### Product Specification

- Pixel Pitch: 10mm
- Encapsulation Of Led: SMD3535
- Diameter:  $\leq 800\text{mm}$
- Pixel Density: 1000dots/
- Module Size: 320mm\*40mm
- Brightness Of White Balance:  $\geq 7000\sim 7500\text{cd/}$
- Highlight: Vivid Image Cylindrical LED Display,  
IP65 Cylindrical LED Display,  
IP65 cylindrical led screen

for more products please visit us on [sol-colur.com](http://sol-colur.com)

## Product Description

### Shenzhen Manufacturers, 320mm\*160mm, Pixel 5mm, OutdoorSMD P5, Flexible led cylindrical screen display

#### Product Features:

Protection level is IP65, is full waterproof, dustproof, anti-corrosion and anti-ultraviolet, enable themselves to work in all weather conditions to guarantee durability, reliability and steady.

High brightness ensures the spectators far from the screen can still enjoy what is shown, even under direct sunlight.

High resolution could guarantee superior performance even with small screen size.

High refresh rate, high grey scale level and high accurate color consistency guarantee the vivid pictures and perfect videos.

Super wide viewing angle can be visible in most corners, give you visual enjoyment.

SMD technology could guarantee higher flatness and better performance.

Aviation plug and quick lock is used, bringing easier cables connection and quicker assembly of cabinets to save time.

Low power consumption and fast heat dissipation with dual channel heat dissipation

Support a series of detection functions, for example detection of cables failure, detection whether the door of cabinets closed or not, fans' speed monitoring, three-way voltage monitoring and temperature monitoring etc.

Widely used in outdoor advertising, toll gate, supermarket, shopping mall, sport game et

FIXED OUTDOOR P5 SMD 3IN1 TECHNICAL PARAMETERS		
	Item	Parameter
Unit Module	Model Number	HM-PH5-8S
	Module size	320mm*160mm
	Pixel pitch	5mm
	Pixels Density	40000dots/m2
	Pixel configuration	1RGB 3in1
	Package mode	SMD2727
	Pixel resolution	64dots(W)*32dots(H)
	Max Power	50W
	Drive type	Constant Current Drive
	Scan mode	1/8scan
	Port type	HUB75
	Brightness of white balance	≥6500cd/m2
LED Display Cabinet	Dimension	640mm*640mm
	Monomer Module Number	8pcs
	Pixel per cabinet	128mm*128mm
	Best viewing distance	5M~100M
	Best viewing angle	160°(W) 90°(H)
	Temperature	storage:-35°C~+85°C working:-20°C~+50°C
	Relative humidity	10%-95%
	Thickness	85mm
Power	Working voltage	AC220V±10%
	Average Power consumption	390W/m2
	Max.Power consumption	≤980W/m2
	Current	≤20mA(single LED)
Control System	CPU	Pentium4 or above
	Operation system	WIN98/2000/NT/XP/WIN7
	Control method	Synchronization
Main Technical Parameter	Driving device	Constant drive IC
	Refresh frequency	1200HZ
	Grey scale/colors	65536gray level/16.7M colors
	MTBF	≥10000hours
	Power switch	Automatic switch
	Display Mode	≥800*600/1024*768

Project Case:



#### Our factory:



#### Company information

SHENZHEN SOL COLUR DISPLAY CO.,LTD. was established in December 2012,Is a leading LED display applications products and solutions provider,Specialized in LED research and development, manufacturing. Sales and servic,Dedicated to providing high-quality, high-performance LED applications and solutions for professional channel customers and end-users at home and abroad.

Our products have been widely used both at home and abroad. Since its foundation, we have become one of the best LED product and solution providers in the country through our unremitting efforts and have won the industry's highest recognition

The development of the company so far, the sales outlets throughout the country, the export products exported to more than 10 countries and regions, 3C, FCC, CE,IFA, IP65, IP68, IS9001, ROSH.AAA and other qualifications, product testing reports, patent certificate

From : Elena Duan

What's app no :  
+8615019269218



SHENZHEN SOL COLUR DISPLAY CO.,LTD



+86 13751136904



chenhao@sol-colour.com



sol-colur.com

2nd Floor, Building 8, Nangang Third Industrial Zone, TangtouCommunity, Shiyan Street, Bao'an District,  
Shenzhen