



Water Resistant IP65 Outdoor Fixed LED Display P6 Billboard 27777 Pixels / M2

Our Product Introduction


Basic Information

- Place of Origin: Shenzhen China
- Brand Name: SOL COLUR
- Certification: CE,3C,FCC ,ROSH,ISO9001
- Model Number: P6 Outdoor
- Minimum Order Quantity: 1 Square Meters / 1 Piece
- Price: USD19.7~21.3 per piece , Negotiable
- Packaging Details: Wooden box,Flight Case
- Delivery Time: 10 days after received deposit
- Payment Terms: L/C, D/A, D/P, T/T, Western Union
- Supply Ability: 5000 Square Meter/Square Meters per Mont



Product Specification

- Module Size: 192mm*192mm
- Pixels Density: 27777Pixels /m2
- LED Package Mode: SMD2727
- Pixel Resolution: 32dots(W)*32 Dots(H)
- Max Power: 20W
- Drive Type: Onstant Drive
- Scan Mode: 1/8scan
- Brightness Of White Balance: $\geq 6500\text{cd/m}^2$
- Highlight: **Water Resistant Outdoor Fixed LED Display ,
Outdoor Fixed LED Display P6,
Water Resistant Led Video Billboards**



Product Description

Waterproof IP65 Outdoor Advertising Led Display Screen P6 Billboard 27777 Pixels / M2

LED display feature :

1. **Light** : Cabinet Size 960mm x 960mm, weighs only 21.3kg .
2. **Thin** : Cabinet thickness between 36mm to 87mm .
3. **Fast** : Plug and play design . Cabinets are easy and quick to assemble without tools in short time.
4. **Precise** : the molding process of die-casting aluminum cabinet enclosure tolerances controlled within 0.1mm , the flatness of the entire screen and gap between cabinets is less than 0.5 mm.
5. **Easy** : random replacement of any cabinets inside the whole screen during broadcasting.
6. **Tolerance** : meet the assembling method from hoisting, fixed installation, ground piling installation, both capable to be used for indoor and outdoor .
7. **Stable** : Tested by strict requirement , capable of working under - 20 degrees to 60 degrees .
8. **Low** : low power consumption , low noise created , low transportation costs, and low installation costs .
9. **Indoor products** : high refresh , high gray - scale, high - contrast, vivid video effect .
10. **Outdoor products** : waterproof grade IP65 , certification through SGS .

Parameter

Unit Module	Item	Parameter
	module Number	HX-P6-8S
	Module size	192mm*192mm
	Pixel pitch	6mm
	Pixels Density	27777Pixels /m2
	Pixel configuration	1R1G1B
	LED Package mode	SMD2727
	Pixel resolution	32dots(W)*32 dots(H)
	Max Power	20W
	Module thickness	17.05mm
	Weight	0.41kg
	Drive type	Constant drive
	Scan mode	1/8Scan 1/8scan
	Port type	HUB75-A
	Brightness of white balance	≥6500cd/m2

Product Show




Company information

SHENZHEN SOL COLUR DISPLAY CO.,LTD. was established in December 2012,Is a leading LED display applications products and solutions provider,Specialized in LED research and development, manufacturing. Sales and servic,Dedicated to


providing high-quality, high-performance LED applications and solutions for professional channel customers and end-users at home and abroad.

Our products have been widely used both at home and abroad. Since its foundation, we have become one of the best LED product and solution providers in the country through our unremitting efforts and have won the industry's highest recognition

The development of the company so far, the sales outlets throughout the country, the export products exported to more than 10 countries and regions, 3C, FCC, CE, IFA, IP65, IP68, IS9001, ROHS, AAA and other qualifications, product testing reports, patent certificate



Instation:



Our factory:



From : Elena Duan
What's app no : +8615019269218

SOL COLUR SHENZHEN SOL COLUR DISPLAY CO.,LTD

 +86 13751136904  chenhao@sol-colour.com  sol-colour.com

2nd Floor, Building 8, Nangang Third Industrial Zone, TangtouCommunity, Shiyan Street, Bao'an District,
Shenzhen